In view of the amendments and remarks provided herein, Applicants respectfully request reconsideration of the subject application.

Please amend the above-captioned application as follows:

In the Claims

Please amend the claims as follows:

- 1. (Amended) An isolated polynucleotide selected from the group consisting of:
 - a polynucleotide comprising the nucleotide sequence of SEO ID NO: 1;
 - a polynucleotide comprising the nucleotide sequence of a βamyloid peptide-binding protein (BBP) of clone BBP1-fl deposited under accession number ATCC 98617;
 - a polynucleotide encoding a β-amyloid peptide-binding protein (BBP) encoded by the cDNA insert of clone BBP1-fl deposited under accession number ATCC 98617;
 - a polynucleotide comprising the nucleotide sequence of SEQ ID NO: 1 from nucleotide 202 to nucleotide 807;
 - a polynucleotide comprising the nucleotide sequence of a βamyloid peptide-binding protein (BBP) of clone pEK196 deposited under accession number ATCC 98399;
 - a polynucleotide encoding a β-amyloid peptide-binding protein (BBP) encoded by the cDNA insert of clone pEK196 deposited under accession number ATCC 98399;
 - (g) a polynucleotide encoding a protein comprising the amino acid sequence of SEO ID NO: 2:
 - (h) a polynucleotide encoding a protein comprising a fragment

G,

of the amino acid sequence of SEQ ID NO: 2 having human βamyloid peptide binding activity, the fragment comprising the amino acid sequence from amino acid 68 to amino acid 269 of SEQ ID NO: 2:

- a polynucleotide which is an allelic variant of the polynucleotide of (a)-(f) above;
- (k) a polynucleotide which encodes a species homologue of the protein of (g)-(h) above; and
- a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(h);

wherein said polynucleotides of (j) and (k) encode an amino acid sequence that binds human β -amyloid peptide.

5 (Amended). A process for producing a protein encoded by the polynucleotide [of claim 2] which process comprises (a) growing a culture of the host cell of claim 3 in a suitable culture medium; and (b) purifying the protein from the culture medium; wherein (i) said polynucleotide is an isolated polynucleotide selected from the group consisting of:

- (a) a polynucleotide comprising the nucleotide sequence of SEO ID NO: 1:
- (b) a polynucleotide comprising the nucleotide sequence of a βamyloid peptide-binding protein (BBP) of clone BBP1-fl deposited
 under accession number ATCC 98617;
- (c) a polynucleotide encoding a β-amyloid peptide-binding protein (BBP) encoded by the cDNA insert of clone BBP1-fl deposited under accession number ATCC 98617;
 - (d) a polynucleotide comprising the nucleotide sequence of SEQ ID NO: 1 from nucleotide 202 to nucleotide 807:





(e)	a polynucleotide comprising the nucleotide sequence of a β-
	amyloid peptide-binding protein (BBP) of clone pEK196 deposited
	under accession number ATCC 98399;
(f)	a polynucleotide encoding a β-amyloid peptide-binding
	protein (BBP) encoded by the cDNA insert of clone pEK196
	deposited under accession number ATCC 98399;
(g)	a polynucleotide encoding a protein comprising the amino
	acid sequence of SEQ ID NO: 2;
(h)	a polynucleotide encoding a protein comprising a fragment
	of the amino acid sequence of SEQ ID NO: 2 having human β-
	amyloid peptide binding activity, the fragment comprising the
	amino acid sequence from amino acid 68 to amino acid 269 of SEQ
	<u>ID NO: 2;</u>
(j)	a polynucleotide which is an allelic variant of the
	polynucleotide of (a)-(f) above;
(k)	a polynucleotide which encodes a species homologue of the
	protein of (g)-(h) above; and
(1)	a polynucleotide capable of hybridizing under stringent
	conditions to any one of the polynucleotides specified in (a)-(h); and
(ii) said poly	nucleotide is operably linked to at least one expression control
sequence.	*

Please add the following claims:

Remarks